




PRODUCT BROCHURE



**Consumer
Technology
Association™**

PRODUCT MANUAL



PURPLELEC INC. CO., LTD

www.purplelec.com



C DIRECTORY CONTENTS

01	Company Profile	01
----	-----------------	----

02	Company Strength	02
----	------------------	----

03	Product Introduction	03
----	----------------------	----

	SSD & HDD Enclosure	04
--	---------------------	----

	Video Capture	05
--	---------------	----

	Docking Station	06
--	-----------------	----

	USB Hub	07
--	---------	----

COMPANY PROFILE



Founded in 2008,our company has been enjoying strong growth in both manufacturing and productivity to become a professional manufacturer of PC peripherals.

We mainly produce USB Hubs,Card Readers,Docking Stations,Thunderbolt 3&thunderbolt 4 series products,SSD&HDD Enclosures,USB Adapters,Chargers and many other electronics products.Both OEM&ODM and agents of us are welcome.

Our mission is to ensure product quality with lower prices and develop new models for market. Our target is to provide superior,cost-effective products for our customers.

With commitment to quality, our skilled engineers and technicians are able to develop and provide our customers with the most special, efficient, reliable, and user-friendly connectivity products.

We offer a complete range of after-sale services including assistance with export documentations.

We welcome OEM&ODM orders and can provide customized packagings and instruction manuals. Whether you are a buyer who is searching for new markets or an importer who is looking for comprehensive products selection, we are an ideal choice.

Contact us today and we will reply to your inquiry in less than 24 hours.

COMPANY STRENGTH




Association Member



Factory Audit Certificate



SSD & HDD ENCLOSURE



 **PURPLELEC**

04

PEC-TB014

M.2 NVMe SSD Enclosure + Video Extension(40Gbps)

- Support up to 8TB M.2 NVMe SSD
- SSD Size 2280mm, interface M-key, B&M key
- 2xDisplayPort, video output up to 7680*4320@60Hz
- 1xType C, Device host Thunderbolt and USB all compatibility
Include Thunderbolt 3 / 4; USB4 / USB 3.2 / USB 3.1 /
USB 3.0 / USB 2.0
- 1xType C, USB3.2 10Gbps, interface downward compatibility
- 2xType A, USB3.1 10Gbps, interface downward compatibility
- CNC Aluminum, built-in cooling fan
- DC:5V/3A(Min)



PEC-TB015F

M.2 NVMe SSD Enclosure(40Gbps)

- Support up to 8TB M.2 NVMe SSD
- SSD Size 2280mm, interface M-key, B&M key
- 1xType C, Device host Thunderbolt and USB all compatibility
Include Thunderbolt 3 / 4; USB4 / USB 3.2 / USB 3.1 /
USB 3.0 / USB 2.0
- Aluminum + skin friendly silica gel



PEC-TB017

M.2 NVMe SSD Enclosure(40Gbps)

- Support up to 8TB M.2 NVMe SSD
- SSD Size 2280mm, interface M-key, B&M key
- 1xType C, Device host Thunderbolt and USB all compatibility
Include Thunderbolt 3 / 4; USB4 / USB 3.2 / USB 3.1 /
USB 3.0 / USB 2.0
- Built-in RGB colorful led light, key switch start
- Support portable lanyard, install without tools
- CNC Aluminum, built-in cooling fan



PEC-TB34

M.2 NVMe SSD Enclosure(Thunderbolt 3)

- Support up to 8TB M.2 NVMe SSD
- SSD Size 2280mm, interface M-key, B&M key
- 1xType C, Device host only Thunderbolt
 Include Thunderbolt 3 / 4
- Plug and play, install without tools
- CNC Aluminum



PEC-TB37

M.2 NVMe SSD Enclosure(Thunderbolt 3)

- Support up to 8TB M.2 NVMe SSD
- SSD Size 2280mm, interface M-key, B&M key
- 1xType C male, Device host only Thunderbolt
 Include Thunderbolt 3 / 4
- CNC Aluminum



PEC-D1

Single / Dual Slot SSD Enclosure

- Support up to 8TB M.2 NVMe SSD
- All SSD Size, interface M-key, B&M key
- 1xType C, Device host USB all compatibility
 Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- Dual slot support Offline Cloning, Key switch start
- Plug and play, install without tools
- CNC Aluminnum
- DC 5V 4A



PEC-TBU401

M.2 NVMe SSD Enclosure (40Gbps)

- Support up to 8TB M.2 NVMe SSD
- SSD Size 2280mm, interface M-key, B&M key
- 1xType C, Device host Thunderbolt and USB all compatibility
Include Thunderbolt 3 / 4; USB4 / USB 3.2 / USB 3.1 /
USB 3.0 / USB 2.0
- Plug and play, install without tools
- CNC Aluminum



Type C 40Gbps


M.2 NVME

PEC-DEM019

Password Protected M.2 NVMe SSD Enclosure

- Support up to 8TB M.2 NVMe SSD
- SSD Size 2280mm, 2260mm, 2242mm, interface M-key, B&M key
- 1xType C, Device host USB all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- Advanced digital password protection
- CNC Aluminum



 Type C | 
M.2 NVME

PEC-HBC018

5 in 1 Dual USB C Docks + SSD Enclosure

- Support up to 8TB M.2 NVMe SSD
- SSD Size 2280mm, interface M-key, B&M key
- 1xType C pass through Thunderbolt / USB all compatibility
Include Thunderbolt 3 / 4; USB4 / USB 3.2 / USB 3.1 /
USB 3.0 / USB 2.0
- 2xType A, USB3.1 10Gbps, interface downward compatibility
- 1xRJ45 Gigabit ethernet
- 1x3.5mm combination audio input/output jack




M.2 NVME


RJ45

 Type C

 Type A

 Audio

PEC-DEM030

Fingerprint Security M.2 NVMe Enclosure

- Support up to 8TB M.2 NVMe SSD
- SSD Size 2280mm, 2260mm, 2242mm, interface M-key, B&M key
- 1xType C, Device host USB all compatibility
 Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- Advanced fingerprint unlock protection
- CNC Aluminum



PEC-M13

M.2 NVMe & NGFF Dual Protocols SSD Enclosure

- Support up to 8TB M.2 NVMe SSD
- SSD Size 2280mm, 2260mm, 2242mm, interface B-key, M-key, B&M key
- 1xType C, Device host USB all compatibility
 Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- Plug and play, install without tools
- CNC Aluminnum + ABS



PEC-M18

Offline Cloning Dual Slot M.2 SSD Enclosure


- Support up to 8TB M.2 NVMe SSD
- SSD Size 2280mm, interface B-key, M-key, B&M key
- 1xType C, Device host USB all compatibility
 Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- Support Offline Cloning, Key switch start
- Plug and play, install without tools
- DC 5V 4A Power key start
- CNC Aluminnum



PEC-CM073

10-in-1 USB C Docks + SSD Enclosure


- Support up to 8TB M.2 NVMe SSD
- SSD Size 2280mm, 2260mm, 2242mm, 2230mm, interface B-key, M-key, B&M key
- 1xHDMI video output up to 3840x2160@60Hz
- 1xType C, Device host USB all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 1xRJ45 Gigabit Ethernet
- 1x3.5mm combination audio input/output jack
- 1xType A, USB 3.1 10Gbps downward compatibility
- 1xType A, USB 3.1 5Gbps downward compatibility
- 1xType C, USB 3.2 10Gbps downward compatibility
- 1xSD/Micro SD up to 104MB/s, read simultaneously
- CNC Aluminum




PEC-DS014

10-in-1 USB C Docks + SSD Enclosure

- Support up to 8TB M.2 NVMe SSD
- SSD Size 2280mm, 2260mm, 2242mm, 2230mm, interface B-key, M-key, B&M key
- 2xHDMI video output up to 3840x2160@60Hz
- 1xType C, Device host USB all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 1x3.5mm combination audio input/output jack
- 1xType A, USB 3.1 10Gbps downward compatibility
- 1xType A, USB 3.1 5Gbps downward compatibility
- 1xType C, USB 3.2 10Gbps downward compatibility
- 1xSD/Micro SD up to 104MB/s, read simultaneously
- CNC Aluminum



VIDEO CAPTURE




 **PURPLELEC**

05

PEC-HD31

USB 2.0 Capture Card

- Host interface Type-A / Type-C male USB 2.0
- HDMI input up to 1080P@60Hz
- USB capture streaming up to 1080P@60Hz
- Color space YUY2, MJPEG
- UAC specification audio capture
- Plug and play without install driver
- Video capture low latency
- System support: Windows XP/7/10/11; Linux; macOS



PEC-HD33

USB 3.2 Video Capture Card

- Host interface Type-C female USB 3.2
- HDMI Loop I/O up to 4K@30Hz
- USB capture streaming up to 1080P@60Hz
- Color space YUY2, MJPEG
- 3.5mm audio input, UAC specification audio capture
- Plug and play without install driver
- Video capture low latency
- System support: Windows XP/7/10/11; Linux; macOS



PEC-VS045

Switch Gaming Capture Card

- Host interface Type-C female USB 3.2
- HDMI Loop I/O up to 4K@30Hz
- USB capture streaming up to 1080P@60Hz
- Color space YUY2, MJPEG
- 3.5mm audio output, UAC specification audio capture
- Plug and play without install driver
- Video capture low latency
- System support: Windows XP/7/10/11; Linux; macOS



PEC- HDU3H

Loop I/O 1080P Capture Card


- Host interface Type-C female USB 3.2
- HDMI Loop I/O up to 1080P@60Hz, 1080i input
- USB capture streaming up to 1080P@60Hz
- Color space YUY2
- 3.5mm audio input & output
- Plug and play without install driver
- Video capture low latency
- System support: Windows XP/7/10/11; Linux; macOS



PEC-HDU4H

Dual Signal Key Switch HDMI Capture Card


- Host interface Type-C female USB 3.2
- HDMI Loop I/O up to 4K@60Hz, 1080i input
- another up to 1080P@60Hz
- USB capture streaming up to 1080P@60Hz
- Color space YUY2
- 3.5mm audio input & output, 3.5mm Mixing LINE IN
- Key switch the capture signal source
- Plug and play without install driver
- Video capture low latency
- System support: Windows XP/7/10/11; Linux; macOS



PEC-HDU7H

4K@30Hz Loop I/O Gaming Capture Card


- Host interface Type-C female USB 3.2
- HDMI Loop I/O up to 4K@60Hz, 1080i input
- USB capture streaming up to 1080P@60Hz
- Color space YUY2
- 3.5mm audio input & output, 3.5mm Mixing LINE IN
- Plug and play without install driver
- Video capture low latency
- System support: Windows XP/7/10/11; Linux; macOS



PEC-U3SDH

SDI / HDMI Input Video Capture Card

- Host interface Type-B female USB 3.1
- HDMI / SDI input up to 1080P@60Hz, 1080i (Single signal input)
- USB capture streaming up to 1080P@60Hz
- Color space YUY2, RGB24, NV12
- 3.5mm audio input & output, support UVC from
- Plug and play without install driver
- Video capture low latency
- System support: Windows XP/7/10/11; Linux; macOS



PEC-VS2850

AHD Video Capture Card


- Host interface Type-B female USB 3.1
- AHD input up to 1080P@60Hz
- USB capture streaming up to 1080P@60Hz
- Color space MJPEG
- Plug and play without install driver
- Video capture low latency
- System support: Windows XP/7/10/11; Linux



PEC-VS2851

Quad AHD Video Capture Card

- Host interface Type-B female USB 3.1
- Quad AHD input up to 720P@60Hz
- USB capture streaming up to 720P@60Hz
- Color space MJPEG
- Plug and play without install driver
- Video capture low latency
- System support: Windows XP/7/10/11; Linux



PEC-TP4SD

Quad SDI Input Thunderbolt3 Capture Card

- Host interface dual Type-C female Thunderbolt 3
- Quad SDI input up to 1080P@60Hz, 1080i
- TBT capture streaming up to 1080P@60Hz
- Color space YUY2
- LPCM audio signal, support UVC from
- Support daisy chain extension, 3D DNR
- Video capture low latency
- System support: Windows XP/7/10/11



PEC-TP4HD

Quad HDMI Input Thunderbolt3 Capture Card

- Host interface dual Type-C female Thunderbolt 3
- Quad HDMI input up to 1080P@60Hz, 1080i
- TBT capture streaming up to 1080P@60Hz
- Color space YUY2
- LPCM audio signal, support UVC from
- Support daisy chain extension, 3D DNR
- Video capture low latency
- System support: Windows XP/7/10/11



PEC-TV003

Quad HDMI Input TBT/USB Capture Card


- Host interface dual Type-C female Thunderbolt/USB4
- Quad HDMI input up to 1080P@60Hz, 1080i
- TBT capture streaming up to 1080P@60Hz
- DisplayPort output up to 8K@60Hz
- Color space YUY2
- LPCM audio signal, support UVC from
- Support daisy chain extension, 3D DNR
- 1xType A, USB 3.1 10Gbps interface downward compatibility
- Video capture low latency
- System support: Windows XP/7/10/11; Linux; macOS



PEC-VS028

4K Streaming Video Capture Card


- Host interface Type-C female USB 3.2
- HDMI Loop I/O up to 4K@60Hz
- USB capture streaming up to 4K@30Hz
- Color space YUY2
- 3.5mm audio input & output
- Plug and play without install driver
- Video capture low latency
- System support: Windows XP/7/10/11; Linux; macOS



PEC-VS009

4K Streaming Video Capture Card

- Host interface Type-C female USB 3.2
- HDMI Loop I/O up to 4K@60Hz
- USB capture streaming up to 4K@30Hz
- Color space YUY2
- 3.5mm audio input & output
- Plug and play without install driver
- Video capture low latency (60ms)
- System support: Windows XP/7/10/11; Linux; macOS



PEC-VS044

4K Ultra-low Delay USB Capture Card

- Host interface Type-C female USB 3.2
- HDMI input up to 4K@30Hz
- USB capture streaming up to 4K@30Hz
- Color space YUY2
- Plug and play without install driver
- Video capture low latency (60ms)
- System support: Windows XP/7/10/11; Linux; macOS



PEC-VS043

4K Streaming Video Capture Card

- Host interface PCI-E 3.0 X16
- Quad HDMI input up to 4K@30Hz, 1080i
- PCIe capture streaming up to 4K@30Hz
- Color space YUY2
- HDMI 8CH embedded in SD / HD / UHD / 4K
- Need install driver
- Video capture Ultra-low delay
- System support: Windows XP/7/10/11; Linux; macOS




HDMI

PEC-VS039

Dual SDI Input M.2 Capture Card

- Host interface M.2 PCIE
- SDI input up to 1080P@60Hz, 1080i
- M.2 capture streaming up to 1080P@60Hz
- Color space YUY2
- SDI 16CH embedded in SD / HD
- Need install driver
- Video capture low latency
- System support: Windows XP/7/10/11; Linux




SDI IN

PEC-VS041

Mini HDMI Loop I/O M.2 Capture Card

- Host interface M.2 PCIE
- Mini HDMI Loop I/O up to 4K@60Hz, support 1080i input
- M.2 capture streaming up to 4K@60Hz
- Color space YUY2
- HDMI 8CH embedded in SD / HD / UHD / 4K
- Need install driver
- Video capture low latency
- System support: Windows XP/7/10/11; Linux



Mini HDMI

PEC-4HDMI

Quad HDMI Input Video Capture Card


- Host interface PCI-E 3.0 X4
- Quad HDMI input up to 1080P@60Hz, 1080i
- PCIe capture streaming up to 1080P@60Hz
- Color space YUY2
- HDMI 8CH embedded in SD / HD
- Need install driver
- Video capture Ultra-low delay
- System support: Windows XP/7/10/11; Linux; macOS



PEC-4SDI

Quad SDI Input Video Capture Card

- Host interface PCI-E 3.0 X4
- Quad SDI input up to 1080P@60Hz, 1080i
- PCIe capture streaming up to 1080P@60Hz
- Color space YUY2
- SDI 16CH embedded in SD / HD
- Need install driver
- Video capture Ultra-low delay
- System support: Windows XP/7/10/11; Linux; macOS



PEC-VS2584

HDMI+SDI Input Video Capture Card

- Host interface PCI-E 3.0 X1
- HDMI / SDI input up to 1080P@60Hz, 1080i
- PCIe capture streaming up to 1080P@60Hz
- Color space YUY2
- HDMI 8CH embedded in SD / HD
- SDI 16CH embedded in SD / HD
- Need install driver
- Video capture Ultra-low delay
- System support: Windows XP/7/10/11; Linux; macOS



PEC-VS2583

Loop I/O 4K Gaming Capture Card

- Host interface PCI-E 3.0 X4
- HDMI Loop I/O up to 4K@60Hz, 1080i input
- PCIe capture streaming up to 4K@60Hz, 2K@144Hz, 1080P@240hZ
- Color space YUY2
- HDMI 8CH embedded in SD / HD / UHD / 4K
- Need install driver
- Video capture Ultra-low delay
- System support: Windows XP/7/10/11; Linux; macOS



PEC-VS011

HDMI Signal Key Switch Video Converter

- Dual HDMI input up to 4K@60Hz
- Quad HDMI output up to 4K@60Hz, support HDR
- HDMI 8CH embedded in SD / HD / UHD / 4K
- Video switch Ultra-low delay
- Wide voltage DC 5V-18V
- System support: Windows XP/7/10/11; Linux; macOS



PEC-VS016

HDMI & SDI Signal Key Switch Video Converter

- HDMI & SDI input up to 4K@60Hz
- Dual SDI output up to 4K@60Hz
- HDMI output up to 4K@60Hz
- HDMI 8CH embedded in SD / HD / UHD / 4K
- SDI 16CH embedded in SD / HD / UHD / 4K
- Video switch Ultra-low delay
- Wide voltage DC 5V-18V
- System support: Windows XP/7/10/11; Linux; macOS





DOCKING STATION


 **PURPLELEC**

06

PEC-DS005

12 in 1 Multifunctional Docking Station


- 1xType C, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xHDMI,video output up to 4K@60Hz
- 1xCard reader 4.0(SD & Micro SD) UHS-II up to 312Mb/s
- 1xRJ45 2.5Gb Ethernet
- 2xSSD slot, M.2 NVMe SSD up to 8TB/slot
- SSD Size 2280mm, interface M-key, B&M key
- 2xType A, USB 3.1 5Gbps interface downward compatibility
- 5xType A USB 2.0 480Mbps
- Type C Power in 20V 3A



PEC-DS015

14 in 1 Multifunctional Docking Station


- 1xType C, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 3xType A, USB 3.1 5Gbps interface downward compatibility
- 2xType C, USB 3.2 10Gbps interface downward compatibility
- 1xType C, output PD 25W Max
- 1xHDMI, video output up to 4K@60Hz
- 1xHDMI, video output up to 4K@30Hz
- 1xDP, video output up to 4K@60Hz
- 1xRJ45 Gigabit Ethernet
- 1xCard reader (SD & Micro SD) up to 104MB/s
- Simultaneous read and write
- 1x3.5mm combination audio input/output jack



PEC-DS001

11 in 1 Multifunctional Docking Station


- 1xType C , Device host USB port port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xDC Power in 120W
- 3xType A, USB 3.1 5Gbps interface downward compatibility
- 2xType C, USB 3.2 10Gbps interface downward compatibility
- 2xHDMI,video output up to 4K@30Hz
- 1xDVI, video output up to 4K@30Hz
- 1x3.5mm combination audio input/output jack
- 1xRJ45 Gigabit Ethernet
- ABS material



PEC-DS007

13 in 1 Multifunctional Docking Station


- 1xType C, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
 - 1xType C, PD 3.0 100W
 - 3xType A, USB 3.1 10Gbps interface downward compatibility
 - 1xCard reader up to 104MB/s, Simultaneously read and write
 - 1x3.5mm combination audio input/output jack
 - 1xRJ45 Gigabit Ethernet
 - 1xPower key switch
 - DC 12V 3A(Min)
 - 2xHDMI, support 4K(3840*2160)@60Hz(only a single display)
 - 2xDisplayPort, support 4K(3840*2160)@60Hz(only a single display)
- *HDMI and DP combined with dual display up to 4K@60Hz, need displaylink driverr



PEC-DS008

Thunderbolt / USB4 Docking Station

- 1xType C, Device host Thunderbolt and USB port all compatibility
Include Thunderbolt 3 / 4; USB4 / USB 3.2 / USB 3.1 /
USB 3.0 / USB 2.0
- 1x DC Power in 20V 7.5A, Device host PD 60W
- 3xType C, TBT/USB4 40gbps interface downward compatibility
(Video output up to Single 8K@30Hz or Dual 4K@60Hz or
Three 4K@30Hz), power output up to 15W
- 2xType A, USB 3.1 10Gbps interface downward compatibility
- 1xType A, USB 2.0 480Mbps
- 1xCard reader up to 104MB/s, Simultaneously read and write
- 1x3.5mm combination audio input/output jack
- 1xRJ45 Gigabit Ethernet



PEC-TU001

Thunderbolt / USB4 Docking Station


- 1xType C, Device host Thunderbolt and USB port all compatibility
Include Thunderbolt 3 / 4; USB4 / USB 3.2 / USB 3.1 /
USB 3.0 / USB 2.0
- 1x DC Power in 20V 7.5A(150W GaN)
- 3xType C, TBT/USB4 40gbps interface downward compatibility
(Video output up to Single 8K@30Hz or Dual 4K@60Hz or
Three 4K@30Hz), Output up to 15W
- 1*USB-A 3.2 Gen2,data transfer speed up to 10gbps



PEC-Dock2

12-in-1 Multifunctional Docking Station


- 1xType C , Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C PD 100W
- 1xHDMI, video output up to 4K@30Hz
- 1xVGA, video output up to1080P@60Hz
- 3xType A, USB 3.1 5Gbps interface downward compatibility
- 1xType C, USB 3.2 5Gbps interface downward compatibility
- 1xCard reader up to 104MB/s, Simultaneous read and write
- 1xRJ45 Giga bit Ethernet
- 3.5mm Microphone, 3.5mm headphone
- Aluminum housing



PEC-DS009

12 in 1 Portable USB-C Docking

- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 2xHDMI, video output up to 4K@60Hz
- 1xVGA, video output up to 1080P@60Hz
- 2xType A, USB 3.1 5Gbps interface downward compatibility
- 1xType C, USB 3.2 5Gbps interface downward compatibility
- 1xType A, USB 2.0 480Mbps
- 1xRJ45 Gigabit Ethernet
- 1xCard reader up to 104MB/s, Simultaneously read and write
- 1x3.5mm combination audio input/output jack



PEC-HBC062

10-in-1 Portable USB-C Docking

- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 1xHDMI, video output up to 4K@30Hz
- 1xVGA, video output up to 1080P@60Hz
- 3xType A, USB 3.1 5Gbps interface downward compatibility
- 1xRJ45 Gigabit Ethernet
- 1xCard reader up to 104MB/s, Simultaneous read and write
- 1x3.5mm combination audio input/output jack
- Aluminum+ABS



PEC-HBC065

Steam Deck USB-C Docking


- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 1xHDMI, video output up to 4K@60Hz
- 3xType A, USB 3.1 5Gbps interface downward compatibility
- 1xRJ45 Gigabit Ethernet
- Aluminum+acrylic



PEC-HBC067

Steam Deck USB-C Docking

- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 1xType C, USB 3.2 10Gbps interface downward compatibility
- 3xType A, USB 3.1 5Gbps interface downward compatibility
- 1xHDMI, video output up to 4K@60Hz
- Aluminum+acrylic



PEC-HBC066

USB Video Adapter (DisplayLink)


- Type C & Type A male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0
- 2xHDMI, dual video output up to 4K@30Hz
- Hidden Adapter
- Aluminum+ABS



PEC-DockMax/DockPro

Multi-Function Laptop Stand USB C Docking


- 1xType C, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 1xHDMI, video output up to 4K@30Hz
- 4xType A, USB 3.1 5Gbps interface downward compatibility
- 1xType C, USB 3.2 5Gbps interface downward compatibility
- 1xCard reader up to 104MB/s, Simultaneous read and write
- 1xRJ45 Gigabit Ethernet
- Aluminum housing



PEC-DockUltra

Multi-Function Laptop Stand USB C Docking


- 1xType C, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 2xHDMI, video output up to 4K@30Hz
- 1xDP, video output up to 4K@30Hz
- 3xType A, USB 3.1 5Gbps interface downward compatibility
- 1xType C, USB 3.2 5Gbps interface downward compatibility
- 1xCard reader up to 104MB/s, Simultaneous read and write
- 1x3.5mm combination audio input/output jack
- 1xRJ45 Gigabit Ethernet
- Aluminum housing



PEC-CM16

8-in-1 Portable USB-C Docking

- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 1xHDMI, video output up to 4K@30Hz
- 3xType A, USB 3.1 5Gbps interface downward compatibility
- 1xCard reader up to 104MB/s, Simultaneous read and write
- 1xRJ45 Gigabit Ethernet
- Aluminum housing



PEC-PEC-CE

iPad Portable USB C Docking

- 1xType C USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xHDMI, video output up to 4K@30Hz
- 1xType C, USB 3.2 5Gbps interface downward compatibility
- 1xType A, USB 3.1 5Gbps interface downward compatibility
- 1x 3.5mm audio port (microphone & headphone)
- Aluminum housing



PEC-CPU2

Macbook Portable USB C Hub

- 1xType C pass through Thunderbolt / USB port all compatibility
Include Thunderbolt 3 / 4; USB4 / USB 3.2 / USB 3.1 /
USB 3.0 / USB 2.0
- 1xType A, USB 3.1 5Gbps interface downward compatibility
- 1xType A, USB 2.0 480Mbps
- Aluminum housing



PEC-HPD02

Macbook Portable USB C Hub


- Type C pass through Thunderbolt / USB port all compatibility
- Include Thunderbolt 3 / 4; USB4 / USB 3.2 / USB 3.1 /
USB 3.0 / USB 2.0
- 1xType A, USB 3.1 5Gbps interface downward compatibility
2xType A, USB 2.0 480Mbps
- Aluminum housing



PEC-2CHMS

Macbook Portable Dual USB C Docks

- Type C pass through Thunderbolt / USB4 port all compatibility
- Include Thunderbolt 3 / 4; USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- Type C USB 3.2 40Gbps, video output up to 5K or 4K@60Hz
- 1xHDMI, video outout up to 4k@30Hz
- 2xType A, USB 3.1 5Gbps interface downward compatibility
- 1xType C, USB 3.2 5Gbps interface downward compatibility
- 1xCard reader up to 104MB/s, Simultaneous read and write
- Aluminum housing



PEC-CM02

5-in-1 Protable USB-C Docking

- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 1xHDMI, video output up to 4K@30Hz
- 2xType A, USB 3.1 5Gbps interface downward compatibility
- 1xType C, USB 3.2 5Gbps interface downward compatibility
- Aluminum housing+ABS



PEC-HBC036

5-in-1 Portable USB-C Docking


- 1xType C , Device host USB port all compatibility
- Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C PD 100W
- 1xHDMI, video output up to 4K@30Hz
- 2xType A, USB 3.1 5Gbps interface downward compatibility
- 1x3.5mm combination audio input/output jack
- Aluminum housing



PEC-CM01/PEC-CM03

5-in-1 Portable USB-C Docking


- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 1xHDMI, video output up to 4K@30Hz
- 2xType A, USB 3.1 5Gbps interface downward compatibility
- 1xRJ45 Gigabit Ethernet
- Aluminum housin



PEC-CM12

12-in-1 Portable USB-C Docking

- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 1xHDMI, video output up to 4K@30Hz
- 1xVGA, video output up to 1080P@60Hz
- 3xType A, USB 3.1 5Gbps interface downward compatibility
- 1xRJ45 Gigabit Ethernet
- 1xCard reader up to 104MB/s, Simultaneous read and write
- 1x3.5mm combination audio input/output jack
- Aluminum housing



PEC-CM20

Portable USB-C Hub with Giga bit Ethernet


- Type C male, Device host USB port all compatibility
- Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 3xType A, USB 3.1 5Gbps interface downward compatibility
- 1xRJ45 Gigabit Ethernet



PEC-CM029

12-in-1 Wireless Charging USB-C Docking


- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 2xType A, USB 3.1 5Gbps interface downward compatibility
- 3xType A, USB 2.0 480Mbps
- 1xHDMI,video output up to 4K@30Hz
- Wireless charging up to 15W
- 1xCard reader up to 104MB/s, Simultaneous read and write
- 1xRJ45 Gigabit Ethernet
- 3.5mm audio output, 3.5mm audio input
- Aluminum+ABS



PEC-CM059

Portable USB-C Hub with Giga bit Ethernet, PD


- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 2xType A, USB 3.1 5Gbps interface downward compatibility
- 1xRJ45 Gigabit Ethernet



PEC-CM067

7-in-1 Portable USB-C Docking


- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 2xType A, USB 3.1 5Gbps interface downward compatibility
- 1xCard reader up to 104MB/s, Simultaneous read and write
- 1xRJ45 Gigabit Ethernet



PEC-HPD03

Portable USB-C Hub with PD

- Type C male, Device host USB port all compatibility
- Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 1xType A, USB 3.1 5Gbps interface downward compatibility
- 2xType A, USB 2.0 480Mbps
- Aluminum housing




PEC-HBC022

2 in 1 USB C Converter

- 1xType A, USB 3.1 10Gbps interface downward compatibility
- 1xType A, USB 2.0 480Mbps
- Aluminum housing+ABS



USB HUB



 **PURPLELEC**

07

PEC-QH001

Desktop KVM Switch Hub


- 2xType A input, USB 3.1 5Gbps
- 4xType A, USB 3.1 5Gbps interface downward compatibility
- 2xHDMI, video input up to 4K@60Hz
- 1xHDMI, video output up to 4K@60Hz
- 1xDC 5V 2A
- Key switch two different PC share a video display and a mouse & keyboard
- ABS Housing



PEC-QH002

4K@60Hz HDMI KVM Switch Hub

- 2xType A, USB 3.1 5Gbps interface downward compatibility
- 2xType C, USB 3.2 5Gbps interface downward compatibility
- 2xType C, video input up to 4K@60Hz
- 1xHDMI, video output up to 4K@60Hz
- 1xType PD 3.0 100W
- Key switch two different PC share a video display and a mouse
- Aluminum housing



PEC-QH003

4K@60Hz HDMI KVM Switch

- 1xHDMI, video input up to 4K@60Hz
- 1xMini DP, video input up to 4K@60Hz
- 1xDP, video input up to 4K@60Hz
- 1xType C, video input up to 4K@60Hz
- 1xHDMI, video output up to 4K@60Hz
- Key switch four input one output
- Aluminum housing



PEC-HBC037

6 in 1 Portable USB-C Docking


- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 3xType A, USB 3.1 5Gbps interface downward compatibility
- 1xType C, USB 3.2 5Gbps interface downward compatibility
- 1xHDMI, video output up to 4K@30Hz
- ABS material



PEC-CM069

6-in-1 Portable USB-C Docking

- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 1xHDMI, video output up to 4K@30Hz
- 1xType A, USB 3.1 5Gbps interface downward compatibility
- 1xType A, USB 2.0 480Mbps
1xCard reader up to 104MB/s, Simultaneous read and write
- ABS housing



PEC-CM070

5-in-1 Portable USB-C Docking

- Type C male, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xType C, PD 3.0 100W
- 1xHDMI, video output up to 4K@30Hz
- 1xHDMI, video output up to 4k@30Hz
- 1xType A, USB 3.1 5Gbps interface downward compatibility
- 2xType A, USB 2.0 480Mbps
- ABS housing



PEC-HBC014

2-in-1 USB-C Video Adapter

- 1*mini DP, video output up to 4K@30Hz
- 1*VGA, video output up to 1080P@60Hz
- 20cm USB C cable length
- High-quality aluminum housing
- Plug and play-no additional driver installation required



Type C

Mini DP

VGA

PEC-HBC015

2-in-1 USB-C Video Adapter

- 1*DP, video output up to 4K@30Hz
- 1*HDMI, video output up to 4K@30Hz
- 20cm USB C cable length
- High-quality aluminum housing
- Plug and play-no additional driver installation required



Type C

HDMI

DP

PEC-HB016

2-in-1 USB-C Video Adapter

- 1*DP, video output up to 4K@30Hz
- 1*VGA, video output up to 1080P@60Hz
- 20cm USB C cable length
- High-quality aluminum housing
- Plug and play-no additional driver installation required



Type C

VGA

DP

PEC-HC003

Macbook Portable Dual USB C Docks

- Type C pass through Thunderbolt / USB4 port all compatibility
Include Thunderbolt 3 / 4; USB4 / USB 3.2 / USB 3.1 /
- USB 3.0 / USB 2.0
- 2*Type A, USB 3.1 10Gbps interface downward compatibility
- 1*Type C, USB 3.2 10Gbps interface downward compatibility
- 1*Micro SD card reader up to 104MB/s
- Blue led light
- Aluminum Housing+ABS



PEC-HS109

Portable 10Gbps USB 3.2 Hub

- 1xType C, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 2xType A, USB 3.2 10Gbps interface downward compatibility
- 2xType C, USB 3.2 10Gbps interface downward compatibility
- 1xType C Power in 5V
- Separate key switch
- Aluminnum Housing+ABS



PEC-HS108

Portable 10Gbps USB 3.2 Hub

- 1xType C, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 4xType A, USB 3.2 10Gbps interface downward compatibility
- 1xType C Power in 5V
- Separate key switch
- 1*C to C cable & 1*C to A cable
- ABS housing



PEC-HBC006

10 in 1 Multiple ports power USB Hub


- 1xType C, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 2xType C, USB 3.2 10Gbps interface downward compatibility
- 4xType A, USB 3.1 5Gbps interface downward compatibility
- 3xType A, only power out 5V 2.4A(PD 12W)
- 1xRJ45 Gigabit Ethernet
- DC 12V 5A
- Separate key switch
- Aluminum housing+ABS



PEC-HBC051

10 in 1 Multiple ports power USB Hub


- 1xType C, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 2xType C, USB 3.2 10Gbps interface downward compatibility
- 1xType A, USB 3.1 10Gbps interface downward compatibility
- 4xType A, USB 3.1 5Gbps interface downward compatibility
- 3xType A, only power out 5V 2.4A(PD 12W)
- DC 12V 5A
- Separate key switch
- Aluminum housing+ABS



PEC-HBC052

10 in 1 Multiple ports power USB Hub

- 1xType C, Device host USB port all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 2xType C, USB 3.2 5Gbps interface downward compatibility
- 4xType A, USB 3.1 5Gbps interface downward compatibility
- 3xType A, only power out 5V 2.4A(PD 12W)
- 1xRJ45 Giga bit Ethernet
- DC 12V 5A
- Separate key switch
- Aluminum housing+ABS



PEC-HS105

8 in 1 Multiple ports power USB Hub


- 1xType B, Device host USB all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 6xType A, USB 3.1 5Gbps interface downward compatibility
- 1xType A, USB 2.0 480Mbps
- 1xCard reader up to 104MB/s, Simultaneous read and write
- DC 5V 4A
- Separate key switch
- Aluminum housing+ABS



PEC-C10

10 in 1 Multiple ports power USB Hub

- 1xType C, PD 100W Device host USB all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 2xType C, USB 3.2 10Gbps interface downward compatibility
- 8xType A, USB 3.1 5Gbps interface downward compatibility
- DC 20V 6A(120W) / 20V 4.5A(90W)
- Separate key switch
- Aluminum housing+ABS



PEC-H707/PEC-H710/PEC-H713/PEC-H716

Multiple ports power USB Hub


- 1xType B, Device host USB all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- Add 7/10/13/16 Type A USB 3.1 5Gbps interface downward compatibility
support power out up to 1.5A
- Slim design effectively, plug and play
- With power adapter
- Separate key switch
- Aluminum housing+ABS



PEC-CM064

10 in 1 Multiple ports power USB Hub

- 1xType C, PD 100W Device host USB all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 8xType A, USB 3.1 5Gbps interface downward compatibility
- 2xType C, USB 3.2 5Gbps interface downward compatibility
- DC 12V 3A / 24V 5A
- Separate key switch
- Aluminum housing+ABS



PEC-HB082

Multiple ports power USB Hub (16Ports)


- 1xType B, Device host USB all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 16xType A, USB 3.1 5Gbps interface downward compatibility
- DC 12V 7.5A
- Separate key switch
- Aluminum housing+ABS



PEC-HC007

Multiple ports power USB Hub (18Ports)

- 1xType C, PD 100W Device host USB all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 10xType A, USB 3.1 5Gbps interface downward compatibility
- 3xType A, only power out up to 5V 2.4A(PD 12W)
- 2xType C, USB 3.2 5Gbps interface downward compatibility
- 1xSD/TF, support UHS-I, Simultaneous read and write
- Slim design effectively, Separate key switch
- Wide voltage DC 12V-18V 7.5A
- Aluminum housing+ABS



PEC-NT003

Portable USB Hub with 2.5Gb Ethernet

- Type C & Type A male, Device host USB all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 1xRJ45 2.5Gb Ethernet
- 1xType A, USB 3.1 5Gbps interface downward compatibility
- 1xType C, USB 3.2 5Gbps interface downward compatibility
- Aluminum+ABS



RJ45



Type C

PEC-HB3018

4 in 1 Portable USB-A Hub

- 1xType A, USB 3.1 5Gbps interface downward compatibility
- 3xType A, USB 2.0 480Mbps
- 25cm Cable Length
- ABS Housing



Type A

PEC-H080/PEC-HS080

USB Hub with 4 Ports USB 3.0 Ports for Data Transfer each ports with switch

- Type C /Type A male, Device host USB all compatibility
Include USB4 / USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0
- 4xType A, USB 3.1 5Gbps interface downward compatibility
- Slim design effectively, plug and play
- Separate key switch
- Support Micro USB power in



Type A



Type A



Follow us on social media to get the latest product and solution information

Purplelec INC. Co.,Ltd.



 CHINA

 No.201,301,401,501, 601, 8th Building, Hongye Industrial Area,
Lezhujiao, Huangmabu Community, Hangcheng Avenue,
Bao'an District, Shenzhen, China

 +86-755-29785463

 info@purplelec.com

